

| TObject             |                   |                      |
|---------------------|-------------------|----------------------|
| fgDtorOnly          | kCannotPick       | kSingleKey           |
| fgObjectStat        | kNoContextMenu    | kOverwrite           |
| kCanDelete          | kInvalidObject    | kWriteDelete         |
| kMustCleanup        | kIsOnHeap         | fgIsA                |
| kObjInCanvas        | kNotDeleted       | fUniqueID            |
| kIsReferenced       | kZombie           | fBits                |
| kHasUUID            | kBitMask          |                      |
| Streamer            | GetOption         | operator new         |
| MakeZombie          | GetObjectInfo     | operator new@[[@]    |
| DoError             | GetTitle          | operator delete      |
| TObject             | HandleTimer       | operator delete@[[@] |
| TObject             | Hash              | operator delete      |
| operator=           | InheritsFrom      | operator delete@[[@] |
| @~TObject           | InheritsFrom      | SetBit               |
| AppendPad           | Inspect           | SetBit               |
| Browse              | IsFolder          | ResetBit             |
| ClassName           | IsEqual           | TestBit              |
| Clear               | IsSortable        | TestBits             |
| Clone               | IsOnHeap          | InvertBit            |
| Compare             | IsZombie          | Info                 |
| Copy                | Notify            | Warning              |
| Delete              | Is                | Error                |
| DistancetoPrimitive | Paint             | SysError             |
| Draw                | Pop               | Fatal                |
| DrawClass           | Print             | AbstractMethod       |
| DrawClone           | Read              | MayNotUse            |
| Dump                | RecursiveRemove   | Obsolete             |
| Execute             | SaveAs            | GetDtorOnly          |
| Execute             | SavePrimitive     | SetDtorOnly          |
| ExecuteEvent        | SetDrawOption     | GetObjectStat        |
| FindObject          | SetUniqueID       | SetObjectStat        |
| FindObject          | UseCurrentStyle   | Class                |
| GetDrawOption       | Write             | Class_Name           |
| GetUniqueID         | Write             | IsA                  |
| GetName             | operator new      |                      |
| GetIconName         | operator new@[[@] |                      |

| TNamed       |
|--------------|
| fgIsA        |
| fName        |
| fTitle       |
| Streamer     |
| TNamed       |
| TNamed       |
| TNamed       |
| TNamed       |
| operator=    |
| @~TNamed     |
| Clear        |
| Clone        |
| Compare      |
| Copy         |
| FillBuffer   |
| GetName      |
| GetTitle     |
| Hash         |
| IsSortable   |
| SetName      |
| SetNameTitle |
| SetTitle     |
| Is           |
| Print        |
| Sizeof       |
| Class        |
| Class_Name   |
| IsA          |

| TTask          |
|----------------|
| fgBeginTask    |
| fgBreakPoint   |
| fgIsA          |
| fTasks         |
| fOption        |
| fBreakin       |
| fBreakout      |
| fHasExecuted   |
| fActive        |
| Streamer       |
| TTask          |
| TTask          |
| @~TTask        |
| TTask          |
| operator=      |
| Abort          |
| Add            |
| Browse         |
| CleanTasks     |
| Clear          |
| Continue       |
| Exec           |
| ExecuteTask    |
| ExecuteTasks   |
| GetBreakin     |
| GetBreakout    |
| IsActive       |
| IsFolder       |
| Is             |
| SetActive      |
| SetBreakin     |
| SetBreakout    |
| GetListOfTasks |
| Class          |
| Class_Name     |
| IsA            |

| HepCrossSectionTask   |                   |
|-----------------------|-------------------|
| fInputFilename        | NeventsErr        |
| fOutputFilename       | Nevents_bkg       |
| fCutFlowName          | Nevents_sig_data  |
| fSignalName           | Nevents_sig_data3 |
| fCutFlowPlot          | Acceptance        |
| f_input               | AcceptanceErr     |
| f_output              | AcceptanceStatErr |
| h_cutflow             | AcceptanceSysErr  |
| signal_sample         | Luminosity        |
| signal                | LuminosityErr     |
| Nbins                 | Cross_Section     |
| Ndata                 | Cross_SectionErr  |
| NdataErr              | Cross_SectionErr  |
| Nevents_sig           | Cross_SectionErr  |
| Nevents_sigErr        | fHistXsecErrors   |
| Nevents_sig_gen       | fgIsA             |
| Nevents               |                   |
| HepCrossSectionTask   | AccCalc           |
| @~HepCrossSectionTask | Class             |
| Exec                  | Class_Name        |
| Print                 | IsA               |
| SetInputFilename      | ShowMembers       |
| SetOutputFilename     | Streamer          |
| SetCutFlowName        | StreamerNVirtual  |
| SetSignalName         |                   |
| AcceptanceCalc        |                   |