

| TObject             |                  |                     |
|---------------------|------------------|---------------------|
| fgDtorOnly          | kCannotPick      | kSingleKey          |
| fgObjectStat        | kNoContextMenu   | kOverwrite          |
| kCanDelete          | kInvalidObject   | kWriteDelete        |
| kMustCleanup        | kIsOnHeap        | fgIsA               |
| kObjInCanvas        | kNotDeleted      | fUniqueID           |
| kIsReferenced       | kZombie          | fBits               |
| kHasUUID            | kBitMask         |                     |
| Streamer            | GetOption        | operator new        |
| MakeZombie          | GetObjectInfo    | operator new@[@]    |
| DoError             | GetTitle         | operator delete     |
| TObject             | HandleTimer      | operator delete@[@] |
| TObject             | Hash             | operator delete     |
| operator=           | InheritsFrom     | operator delete@[@] |
| @~TObject           | InheritsFrom     | SetBit              |
| AppendPad           | Inspect          | SetBit              |
| Browse              | IsFolder         | ResetBit            |
| ClassName           | IsEqual          | TestBit             |
| Clear               | IsSortable       | TestBits            |
| Clone               | IsOnHeap         | InvertBit           |
| Compare             | IsZombie         | Info                |
| Copy                | Notify           | Warning             |
| Delete              | Is               | Error               |
| DistancetoPrimitive | Paint            | SysError            |
| Draw                | Pop              | Fatal               |
| DrawClass           | Print            | AbstractMethod      |
| DrawClone           | Read             | MayNotUse           |
| Dump                | RecursiveRemove  | Obsolete            |
| Execute             | SaveAs           | GetDtorOnly         |
| Execute             | SavePrimitive    | SetDtorOnly         |
| ExecuteEvent        | SetDrawOption    | GetObjectStat       |
| FindObject          | SetUniqueID      | SetObjectStat       |
| FindObject          | UseCurrentStyle  | Class               |
| GetDrawOption       | Write            | Class_Name          |
| GetUniqueID         | Write            | IsA                 |
| GetName             | operator new     |                     |
| GetIconName         | operator new@[@] |                     |

| TNamed       |
|--------------|
| fgIsA        |
| fName        |
| fTitle       |
| Streamer     |
| TNamed       |
| TNamed       |
| TNamed       |
| TNamed       |
| operator=    |
| @~TNamed     |
| Clear        |
| Clone        |
| Compare      |
| Copy         |
| FillBuffer   |
| GetName      |
| GetTitle     |
| Hash         |
| IsSortable   |
| SetName      |
| SetNameTitle |
| SetTitle     |
| Is           |
| Print        |
| Sizeof       |
| Class        |
| Class_Name   |
| IsA          |

| RooFactoryWSTool   |                         |
|--------------------|-------------------------|
| _of                | _args                   |
| _hooks             | _ws                     |
| fgIsA              | _errorCount             |
| _autoNamePrefix    | _autoClassPostFix       |
| typeAliases        |                         |
| Streamer           | asVAR                   |
| RooFactoryWSTool   | asVARLV                 |
| @~RooFactoryWSTool | asRMODEL                |
| createVariable     | asCAT                   |
| createCategory     | asCATLV                 |
| createArg          | asCATFUNC               |
| ctorArgs           | asSET                   |
| add                | asLIST                  |
| amplAdd            | asDATA                  |
| prod               | asDHIST                 |
| simul              | asDSET                  |
| addfunc            | asOBJ                   |
| prodfunc           | asSTRING                |
| ws                 | asINT                   |
| process            | asDOUBLE                |
| processExpression  | registerSpecial         |
| splitFunctionArgs  | logError                |
| as_ARG             | autoClassNamePostFix    |
| as_PDF             | setAutoClassNamePostF   |
| as_FUNC            | checkSyntax             |
| as_VAR             | varTag                  |
| as_VARLV           | checkIndex              |
| as_RMODEL          | processCompositeExpre   |
| as_CAT             | processSingleExpression |
| as_CATLV           | processListExpression   |
| as_CATFUNC         | processAliasExpression  |
| as_SET             | processCreateVar        |
| as_LIST            | processCreateArg        |
| as_DATA            | processMetaArg          |
| as_DHIST           | resolveClassName        |
| as_DSET            | of                      |
| as_OBJ             | hooks                   |
| as_STRING          | clearError              |
| as_INT             | errorCount              |
| as_DOUBLE          | RooFactoryWSTool        |
| as_INT             | Class                   |
| as_DOUBLE          | Class_Name              |
| asARG              | IsA                     |
| asPDF              | ShowMembers             |
| asFUNC             |                         |

| RooPrintable      |                      |
|-------------------|----------------------|
| kName             | kInline              |
| kClassName        | kSingleLine          |
| kValue            | kStandard            |
| kArgs             | kVerbose             |
| kExtras           | kTreeStructure       |
| kAddress          | _nameLength          |
| kTitle            | fgIsA                |
| kCollectionHeader |                      |
| Streamer          | printTree            |
| RooPrintable      | defaultPrintStream   |
| @~RooPrintable    | defaultPrintContents |
| printStream       | defaultPrintStyle    |