

| TObject             |                   |                      |
|---------------------|-------------------|----------------------|
| fgDtorOnly          | kCannotPick       | kSingleKey           |
| fgObjectStat        | kNoContextMenu    | kOverwrite           |
| kCanDelete          | kInvalidObject    | kWriteDelete         |
| kMustCleanup        | kIsOnHeap         | fgIsA                |
| kObjInCanvas        | kNotDeleted       | fUniqueID            |
| kIsReferenced       | kZombie           | fBits                |
| kHasUUID            | kBitMask          |                      |
| Streamer            | GetOption         | operator new         |
| MakeZombie          | GetObjectInfo     | operator new@[[@]    |
| DoError             | GetTitle          | operator delete      |
| TObject             | HandleTimer       | operator delete@[[@] |
| TObject             | Hash              | operator delete      |
| operator=           | InheritsFrom      | operator delete@[[@] |
| @~TObject           | InheritsFrom      | SetBit               |
| AppendPad           | Inspect           | SetBit               |
| Browse              | IsFolder          | ResetBit             |
| ClassName           | IsEqual           | TestBit              |
| Clear               | IsSortable        | TestBits             |
| Clone               | IsOnHeap          | InvertBit            |
| Compare             | IsZombie          | Info                 |
| Copy                | Notify            | Warning              |
| Delete              | Is                | Error                |
| DistancetoPrimitive | Paint             | SysError             |
| Draw                | Pop               | Fatal                |
| DrawClass           | Print             | AbstractMethod       |
| DrawClone           | Read              | MayNotUse            |
| Dump                | RecursiveRemove   | Obsolete             |
| Execute             | SaveAs            | GetDtorOnly          |
| Execute             | SavePrimitive     | SetDtorOnly          |
| ExecuteEvent        | SetDrawOption     | GetObjectStat        |
| FindObject          | SetUniqueID       | SetObjectStat        |
| FindObject          | UseCurrentStyle   | Class                |
| GetDrawOption       | Write             | Class_Name           |
| GetUniqueID         | Write             | IsA                  |
| GetName             | operator new      |                      |
| GetIconName         | operator new@[[@] |                      |

| TNamed       |
|--------------|
| fgIsA        |
| fName        |
| fTitle       |
| Streamer     |
| TNamed       |
| TNamed       |
| TNamed       |
| TNamed       |
| operator=    |
| @~TNamed     |
| Clear        |
| Clone        |
| Compare      |
| Copy         |
| FillBuffer   |
| GetName      |
| GetTitle     |
| Hash         |
| IsSortable   |
| SetName      |
| SetNameTitle |
| SetTitle     |
| Is           |
| Print        |
| Sizeof       |
| Class        |
| Class_Name   |
| IsA          |

| RooStats::HybridPlot |
|----------------------|
| fgIsA                |
| fSb_histo            |
| fSb_histo_shaded     |
| fB_histo             |
| fB_histo_shaded      |
| fData_testStat_line  |
| fLegend              |
| fPad                 |
| fVerbose             |
| Streamer             |
| HybridPlot           |
| @~HybridPlot         |
| Draw                 |
| DumpToFile           |
| GetBmean             |
| GetBrms              |
| GetBhisto            |
| GetBCenter           |
| GetBIntExtremes      |
| GetSBmean            |
| GetSBCenter          |
| GetSBrms             |
| GetSBIntExtremes     |
| GetSBhisto           |
| GetCanvas            |
| DumpToImage          |
| GetHistoCenter       |
| GetHistoPvals        |
| GetMedian            |
| Class                |
| Class_Name           |
| IsA                  |
| ShowMembers          |
| StreamerNVirtual     |