

TGObject	TGWindow	TGFrame	TGTextEntry
fgIsA	fgCounter	kDeleteWindow	kNormal
fld	kEditDisableBtn	fgBkgndGC	fgIsA
fClient	kEditEnableEditDisableKey	fgBgndGdGY	fCursorOn
	kEditDisablefgIsA	fgDefaultFrameSize	fFrameDrawn
	kEditDisableEvents	fgDefaultSelectedBgndHeight	kNoEcho
	kEditDisableGetRedraw	fgWhitePixfgDbx	fText
	kEditDisableLayer	fgBlackPixfgDbx	fFontStruct
	kEditDisableRedDisabled	fgBlackGC fgDbw	fFontGC
	kEditDisableHeight	fgWhiteGC fgUserColorfMaxHeight	fInsertMode
	kEditDisableWidth	fgHighlightGC fgIsA	fAlignm
		fBorderWidth	kReplace
Streamer	HandleEvent	Streamer	fStartIX
operator=	HandleTimer	HandleMotion	fSelbackGC
TGObject	TGWindow	MapWindowSetY	fHasOwnFont
TGObject	TGWindow	MapRaised	fgClipboardTextIX
@~TGObject	Move	MapClientUnmapWindowSetHeight	fClipboard
GetId	DoRedraw	Draw3dRectHighlight	fDefWidth
GetClient	Resize	DrawBorderSetMinWidth	fDefHeight
Hash	MoveResize	DrawCopySetMinHeight	fFontGC
IsEqual	TGWindow	DrawSetMaxWidth	fTip
SaveAs	IsMapped	ActivateSetMaxHeight	kCursorOnGC
Class	@~TGWindow	HandleColorMapChangeSetMaxHeight	fCursorOnGC
Class_Name	Editable	TGFrame	fCursorOnGC
IsA	GetParent	HandleDragCompositeSetSize	fCursorOnGC
	GetEditDisabled	operator=	fCursorOnGC
	GetMainFrameSetEditDisabled	HandleDragEditablePrint	fCursorOnGC
	MapWindowSetEditable	fgDefaultFrameBgndHeightSaveUserColor	fCursorOnGC
	MapSubwinMustCleanup	fgDefaultSelectedBgndHeightPrimitive	fCursorOnGC
	MapRaisedPrint	GetWhitePixProcessedCleanupDelete	fCursorOnGC
	UnmapWindowSetWindowName	GetBlackPixProcessedCleanupDrawClone	fCursorOnGC
	DestroyWindowClass	GetBlackGCSendMessageGetDragTypeDrawClass	fCursorOnGC
	DestroySubWindow	GetWhiteGCProcessMessageDropTypeDump	fCursorOnGC
	RaiseWindowSetMapSubWindow	GetHighlightGCGetDefaultSetDragTypeInspect	fCursorOnGC
	LowerWindowMapSubWindow	GetShadowGCove	fCursorOnGC
	IconifyWindowGetCounter	GetBkgndGCsize	fCursorOnGC
	ReparentWindowClass	GetWidth	fCursorOnGC
	RequestFocusClass_Name	GetHeight	fCursorOnGC
	SetBackgroundIsColor	SetDNDTarget	fCursorOnGC
	SetBackgroundPixmap	TGFrame	fCursorOnGC
	HandleExpose	MoveResizeGetMinWidthfDNDSource	fCursorOnGC
		@~TGFrameGetDefaultWidthfDNDTarget	fCursorOnGC
		DeleteWindowSetMaxWidthSetDNDData	fCursorOnGC
		ReallyDeleteGetBackgroundfMaxHeightHandleDNDDrop	fCursorOnGC
		GetEventMaskChangeBackGetSize	fCursorOnGC
		AddInputSetBackgroundGCColor	fCursorOnGC
		RemoveInputGetForegroundGCY	fCursorOnGC
		HandleEventSetForegroundGetBorderWidthHandleDNDFinish	fCursorOnGC
		HandleConfigureOptionsGetFrameElement	fCursorOnGC
		HandleButtonChangeOptionsSetFrameElementName	fCursorOnGC
		HandleDoubleClickContains	fCursorOnGC
		HandleCrossMapSubwinClassFrameFromPoint	fCursorOnGC

TQObject	TGWidget
fgAllSignalsBlocked	fWidgetId
fgIsA	fMsgWindowfgIsA
	fWidgetFlagsCommand
Streamer	Streamer
GetSender	TGWidget
GetSenderClass	TGWidget
ConnectToClass	operator=
ConnectToClass	@~TGWidget
CheckConnectArgs	Associate
CompressName	IsA
TQObject	SetFlags
operator=	WidgetId
TQObject	SetCommand
@~TQObject	ClearFlags
GetListOfClassSignals	IsEnabled
GetListOfSignals	GetCommand