

| TObject             |                   |                      |
|---------------------|-------------------|----------------------|
| fgDtorOnly          | kCannotPick       | kSingleKey           |
| fgObjectStat        | kNoContextMenu    | kOverwrite           |
| kCanDelete          | kInvalidObject    | kWriteDelete         |
| kMustCleanup        | kIsOnHeap         | fgIsA                |
| kObjInCanvas        | kNotDeleted       | fUniqueID            |
| kIsReferenced       | kZombie           | fBits                |
| kHasUUID            | kBitMask          |                      |
| Streamer            | GetOption         | operator new         |
| MakeZombie          | GetObjectInfo     | operator new@[[@]    |
| DoError             | GetTitle          | operator delete      |
| TObject             | HandleTimer       | operator delete@[[@] |
| TObject             | Hash              | operator delete      |
| operator=           | InheritsFrom      | operator delete@[[@] |
| @~TObject           | InheritsFrom      | SetBit               |
| AppendPad           | Inspect           | SetBit               |
| Browse              | IsFolder          | ResetBit             |
| ClassName           | IsEqual           | TestBit              |
| Clear               | IsSortable        | TestBits             |
| Clone               | IsOnHeap          | InvertBit            |
| Compare             | IsZombie          | Info                 |
| Copy                | Notify            | Warning              |
| Delete              | Is                | Error                |
| DistancetoPrimitive | Paint             | SysError             |
| Draw                | Pop               | Fatal                |
| DrawClass           | Print             | AbstractMethod       |
| DrawClone           | Read              | MayNotUse            |
| Dump                | RecursiveRemove   | Obsolete             |
| Execute             | SaveAs            | GetDtorOnly          |
| Execute             | SavePrimitive     | SetDtorOnly          |
| ExecuteEvent        | SetDrawOption     | GetObjectStat        |
| FindObject          | SetUniqueID       | SetObjectStat        |
| FindObject          | UseCurrentStyle   | Class                |
| GetDrawOption       | Write             | Class_Name           |
| GetUniqueID         | Write             | IsA                  |
| GetName             | operator new      |                      |
| GetIconName         | operator new@[[@] |                      |

| TTreeFormulaManager   |
|-----------------------|
| fgIsA                 |
| fFormulas             |
| fMultiplicity         |
| fMultiVarDim          |
| fNdata                |
| fCumulUsedSizes[6]    |
| fCumulUsedVarDims     |
| fUsedSizes[6]         |
| fVarDims[6]           |
| fVirtUsedSizes[6]     |
| fNeedSync             |
| Streamer              |
| TTreeFormulaManager   |
| operator=             |
| @~TTreeFormulaManager |
| AddVarDims            |
| CancelDimension       |
| EnableMultiVarDims    |
| UpdateUsedSize        |
| TTreeFormulaManager   |
| Add                   |
| GetMultiplicity       |
| GetNdata              |
| Notify                |
| Remove                |
| Sync                  |
| UpdateFormulaLeaves   |
| Class                 |
| Class_Name            |
| IsA                   |